

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	429	((allocat\$5 assign\$5) near7 (resource slot)) and (increas\$5 near12 "1") same (increas\$6 near7 "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:11
L15	68	((request\$3) near5 (resource slot) occupied accessed) near30 (((increas\$5 equal\$5 count\$3) near7 one) near30 ((increas\$5 equal\$5 count\$3) near7 zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:07
L16	9	((allocat\$5 assign\$5) near7 (resource slot)) and ((request\$3) near5 (resource slot) occupied accessed) near30 (((increas\$5 equal\$5 count\$3) near7 one) near30 ((increas\$5 equal\$5 count\$3) near7 zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:11
L17	12	((allocat\$5 assign\$5) near7 (resource slot channel link path)) and ((request\$3) near5 (resource slot) occupied accessed) near30 (((increas\$5 equal\$5 count\$3) near7 one) near30 ((increas\$5 equal\$5 count\$3) near7 zero))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:09
L18	32	((allocat\$5 assign\$5) near7 (resource slot channel link path)) and ((request\$3) near5 (resource slot) occupied accessed) near30 (((increas\$5 equal\$5 count\$3) near7 ("1" one)) near30 ((increas\$5 equal\$5 count\$3) near7 ("0" zero)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:11
S1	6	count\$5 near3 number near30 (time adj slot) and ((allocat\$5 assign\$5) near30 (resource slot) near30 (minimum less) near3 (user subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 11:49
S2	7	count\$5 near3 number near30 (time adj slot) and ((allocat\$5 assign\$5) near30 (resource slot) near30 (least) near3 (user subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 18:24
S3	109	(number adj14 (time adj slot)) and ((allocat\$5 assign\$5) near30 (resource slot) near30 (least) near3 (user subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 18:25

## EAST Search History

S4	1	(number adj14 (time adj slot)) and ((allot\$5 assign\$5) near30 (available near3 (resource slot)) near30 (least minimum less) near7 access\$5 near7 (user subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 18:28
S5	14	(number adj14 (time adj slot)) and ((allot\$5 assign\$5) near30 (available near30 (resource slot)) near30 (least minimum less) near7 access\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 18:35
S6	14	(number adj14 (time adj slot)) and ((allot\$4 allot\$5 assign\$5) near30 (available near30 (resource slot)) near30 (least minimum less) near7 access\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 19:57
S7	1	(occupat\$6 near12 (time adj slot)) and ((allot\$4 allot\$5 assign\$5) near30 (available near30 (resource slot)) near30 (least minimum less) near7 access\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 19:30
S8	68	((allot\$4 allot\$5 assign\$5) near30 (available near30 (resource slot)) near30 (least minimum less) near7 access\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 19:31
S9	167	((available near7 (time adj slot)) near30 ((base adj station) (ground adj station))) and ((allot\$4 allot\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near7 access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 11:39
S10	130	((available near7 (time adj slot)) near30 ((base adj station) (ground adj station))) and ((allot\$4 allot\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near3 accessed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 20:08
S11	24	((available near7 (time adj slot)) near12 request\$5 near30 ((base adj station) (ground adj station))) and ((allot\$4 allot\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near3 accessed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 07:29

## EAST Search History

S12	239	((available near7 (time adj slot)) near12 request\$5) and ((allot\$4 allocat\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near3 accessed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 19:32
S13	87	((available near7 (time adj slot)) near12 request\$5) and ((base ground) adj station) and ((allot\$4 allocat\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near3 accessed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 11:17
S14	14	((available near7 (time adj slot)) near12 request\$5) and ((access) adj (point node)) and ((allot\$4 allocat\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near3 accessed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:11
S15	239	((available near7 (time adj slot)) near12 request\$5) and ((allot\$4 allocat\$5 assign\$5) near12 (available near22 (resource slot)) ((least minimum less) near3 accessed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:11